

C Programming: I/O, files

Yipeng Huang

Rutgers University

January 26, 2023

Table of contents

Announcements

Class resources

`rootFinder`: A program that prints square roots if integer

Compiling and running your program

`pointers.c`: A lab exercise for pointers, arrays, and memory

Lesson 1: What are pointers?

Lesson 2: Dereferencing pointers with *

Lesson 3: The integer datatype uses four bytes

Lesson 4: Printing each byte of an integer

Lesson 5: Pointers are just variables that live in memory

Class resources

- ▶ You should notice now these slides are not comprehensive.
- ▶ Supplemental reading and recitations slides on Canvas.
- ▶ Sequence of recitations this afternoon.
- ▶ Programming assignment 0 progress?
- ▶ Where have you found help?
- ▶ Piazza.

Quiz 1

1. Spanning this week due Friday, 1/26
2. 60 minutes.
3. Three tries.
4. Linux, some C.
5. Reviews recent concepts that would be fair game for exams.

Table of contents

Announcements

Class resources

`rootFinder`: A program that prints square roots if integer

Compiling and running your program

`pointers.c`: A lab exercise for pointers, arrays, and memory

Lesson 1: What are pointers?

Lesson 2: Dereferencing pointers with *

Lesson 3: The integer datatype uses four bytes

Lesson 4: Printing each byte of an integer

Lesson 5: Pointers are just variables that live in memory

rootFinder: A program that prints square roots if integer

- ▶ Headers
- ▶ Command line arguments
- ▶ Opening files
- ▶ Reading from files
- ▶ `printf` and format specifiers
- ▶ `EXIT_SUCCESS`

Command line arguments: First encounter with pointers

What is `char* argv[]`




Figure: Image credit: <http://www.csc.villanova.edu/~mdamian>

In C, Strings, `char*`, and `char[]` are all the same

- ▶ `char greeting[6] = {'H','e','l','l','o','\0'};`
- ▶ `char greeting[] = "Hello";`

Compiling and running your program

How does a program end up on your computer?

```
gcc -Wall -Werror -fsanitize=address -std=c99 -o  
rootFinder rootFinder.c -lm
```

- ▶ gcc: GNU C Compiler
- ▶ -Wall -Werror: Enable helpful warnings.
- ▶ -fsanitize=address: Enable memory checking.
- ▶ -std=c99: Set C standard version number.
- ▶ -o rootFinder: Output binary.
- ▶ rootFinder.c: Source file.
- ▶ -lm: Link the math library implementation.

Compiling and running your program

How does a program end up on your computer?

How a Makefile works

- ▶ $\$<$: first prerequisite
- ▶ $\$^$: all prerequisites
- ▶ $\$@$: target file name

Assignment infrastructure for this course

Navigating the 2024_1s_211/ assignments directory

- ▶ `autograder.py`
- ▶ `tests/`: test cases
- ▶ `answers/`: expected answers
- ▶ Every assignment part has several fixed test cases for development, several randomized test cases for validation.
- ▶ `assignment_autograder.py`
- ▶ `tar cvf pa0.tar .`

Table of contents

Announcements

Class resources

`rootFinder`: A program that prints square roots if integer

Compiling and running your program

`pointers.c`: A lab exercise for pointers, arrays, and memory

Lesson 1: What are pointers?

Lesson 2: Dereferencing pointers with *

Lesson 3: The integer datatype uses four bytes

Lesson 4: Printing each byte of an integer

Lesson 5: Pointers are just variables that live in memory

git pull

From the folder 2024_1s_211, type: `git pull`

Why pointers?

Pointers underlie almost every programming language feature:

- ▶ arrays
- ▶ pass-by-reference
- ▶ data structures

Vital reason why C is a low-level, high-performance, systems-oriented programming language (why we use it for this class, computer architecture).

Lesson 1: What are pointers?

- ▶ Pointers are numbers
- ▶ The unary operator `&` gives the “address of a variable”.
- ▶ how big is a pointer? 32-bit or 64-bit machine?
- ▶ Pointers are typed

Lesson 2: Dereferencing pointers with *

*pointer: dereferencing operator: variable in that address

```
int* ptr and int *ptr
```

No difference between `int* ptr` and `int *ptr`

- ▶ `int* ptr` emphasizes that `ptr` is `int*` type
- ▶ `int *ptr` emphasizes that when you dereference `ptr`, you get a variable of type `int`

Lesson 3: The integer datatype uses four bytes

- ▶ Memory is an array of addressable bytes
- ▶ Variables are simply names for contiguous sequences of bytes

Lesson 4: Printing each byte of an integer

- ▶ Most significant byte (MSB) first → big endian
- ▶ Least significant byte (LSB) first → little endian

Which one is true for the ilab machine?

Lesson 5: Pointers are just variables that live in memory

- ▶ Pointers to pointer